wetlands

Location: naturalresources\wetlands

Description

National Wetlands Inventory (NWI) data showing *general* location of large and /or photo-identifiable wetland and deepwater habitats, based on aerial photos taken from 1975 to 1996 at 1:58,000 to 1:20,000 scale. Shapefile includes polygon features; coverage includes polygon and linear features. *This data doesn't show all wetlands*.

Source

About December 1995, Bay County received some NWI data on diskettes from FREAC, Tallahassee (850-644-3410); not all quads were available digitally.

About 1997, Bay County GIS purchased NWI quads from FREAC, Tallahassee, which had the **attribute** parsed (separated using NWI c software) and a wetdry field, similar to **group**. However, Southport quad got corrupted, Beacon Hill was missing, and many quads were out-of-date.

In November 1999, Bay County GIS replaced all quads with the latest NWI quads from U.S. Fish & Wildlife Service web site at ftp://www.nwi.fws.gov/arcdata/. NWI maps are derived from aerial photos taken from 1975 to 1996 at scales from 1:58,000 to 1:20,000. See list of quad photo years below. Bay County GIS projected the quads, derived 3 fields from the NWI attribute, mapjoined the quads into a county-wide coverage, then dissolved quad boundaries based on all attributes. Parsing of attribute wasn't done at this time.

Sometime during Fall 2002, Bay County GIS plans on retrieving updated NWI quads.

For more info regarding NWI, see ftp://www.nwi.fws.gov/Maps/maps.htm or http://www.nwi.fws.gov/Maps/maps.htm

Although this data can show wetlands more accurately than USGS topographic maps, this data does not show all wetlands, <u>nor does it replace a qualified ground survey at project scale.</u>
U.S. Fish & Wildlife suggests that users also consult other information to aid in wetland detection, such as U.S. Department of Agriculture soil survey reports, and not rely solely on NWI maps.

This data is provided with the understanding that the conclusions drawn from such information are solely the responsibilities of the user. The GIS data is not a legal representation of the features depicted, and any assumption of the legal status of this data is hereby disclaimed. Errors or omissions should be reported to the Bay County GIS Division 850-784-6171.

Attribute Table Structure

Polygon and Arc Attributes

Name	Width	Output	Type	Decimals
ATTRIBUTE	24	$\overline{24}$	C	_
SYSTEM	1	1	C	_

SUBSYSTEM	2	2	C	-
GROUP	3	3	С	_

Attributes

attribute

Complete NWI classification code by USFWS. See WETLANDS AND DEEPWATER HABITATS CLASSIFICATION below.

system

First NWI classification level by USFWS, equal to the first character of attribute.

M = Marine = salty water L = Lacustrine = lake, pond

E = Estuarine = brackish P = Palustrine = freshwater marsh R = Riverine = river U = Upland = non-wetland

subsystem

Second NWI classification level, including system, based on the first two characters of attribute.

Note **system**s P and U don't have a **subsystem** level.

M1 = Marine Subtidal R1 = Riverine Tidal L1 = Lacustrine Limnetic (deep) M2 = Marine Intertidal R2 = Riverine Lower Perennial L2 = Lacustrine Littoral (shallow)

E1 = Estuarine Subtidal R3 = Riverine Upper Perennial P = Palustrine E2 = Estuarine Intertidal R4 = Riverine Intermittent U = Upland

R5 = Riverine Unknown Perennial

group

NWI attribute grouped by Bay County GIS.

Upland = U

Water = M1, E1, or OW (open water) without slash

Wetland = rest of non-blank attributes

ftp://www.nwi.fws.gov/maps/nwi_diged.txt

01 May 2000 - National Wetlands Inventory Digitized Maps

1:100K NAME	ST	ATE	NWI/USGS MAP NAME	ABBREV	REF CODE	PHOTO YR	DIG DATE
Apalachicola	NW	FL	Beacon Hill	beacoh	29085-н4	1990	22-APR-1999
Apalachicola	NW	FL	Crooked Island	crooki	29085-Н5	1990	22-APR-1999
Tallahassee	NW	FL	Compass Lake	complk	30085-E4	1975	25-NOV-1996
Tallahassee	SW	FL	Allanton	allant	30085-A4	1990	22-APR-1999
Tallahassee	SW	FL	Bayhead	bayhea	30085-C5	1996	22-APR-1999
Tallahassee	SW	FL	Beacon Beach	beacob	30085-A6	1990	22-APR-1999
Tallahassee	SW	FL	Bennett	bennet	30085-D5	1975	25-NOV-1996
Tallahassee	SW	FL	Bruce	bruce	30085-D8	1996	22-APR-1999
Tallahassee	SW	FL	Crystal Lake	cryslk	30085-D6	1975	25-NOV-1996
Tallahassee	SW	FL	Fountain	founta	30085-D4	1975	25-NOV-1996
Tallahassee	SW	FL	Laguna Beach	lagunb	30085-B8	1996	22-APR-1999
Tallahassee	SW	FL	Long Point	longpt	30085-A5	1990	22-APR-1999
Tallahassee	SW	FL	North of Allanton	noalla	30085-B4	1996	22-APR-1999
Tallahassee	SW	FL	Panama City	panamc	30085-B6	1990	22-APR-1999
Tallahassee	SW	FL	Panama City Beach	panacb	30085-B7	1996	22-APR-1999
Tallahassee	SW	FL	Red Head	redhea	30085-D7	1975	25-NOV-1996
Tallahassee	SW	FL	Seminole Hills	seminh	30085-C8	1996	22-APR-1999

	SW	FL	Springfield	spring	30085-C6 30085-B5	1990	22-APR-1999 22-APR-1999
Tallahassee Tallahassee			-		30085-C7 30085-C4		22-APR-1999 25-NOV-1996

ftp://www.nwi.fws.gov/maps/mapcode.txt WETLANDS AND DEEPWATER HABITATS CLASSIFICATION

SYSTEM	SUBSYSTEM	CLASS	SUBCLASS
		- RB=Rock Bottom	1=Bedrock 2=Rubble
		- UB=Unconsolidated Bottom	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
	1=SUBTIDAL	- AB=Aquatic Bed	1=Algal 3=Rooted Vascular 5=Unknown Submergent
		- RF=Reef	1=Coral 3=Worm
M=MARINE		- OW=Open Water/Unknown Bot	tom (used on older maps)
		- AB=Aquatic Bed	1=Algal 3=Rooted Vascular 5=Unknown Submergent
	2=INTERTIDAL	- RF=Reef	1=Coral 3=Worm
		- RS=Rocky Shore	1=Bedrock 2=Rubble
		- US=Unconsolidated Shore	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic

SYSTEM	SUBSYSTEM	CLASS	SUBCLASS
		- RB=Rock Bottom	1=Bedrock 2=Rubble
		- UB=Unconsolidated 1	Bottom 1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
	1=SUBTIDAL	- AB=Aquatic Bed	1=Algal 3=Rooted Vascular 4=Floating Vascular 5=Unknown Submergent 6=Unknown Surface
		- RF=Reef	2=Mollusc 3=Worm
		- OW=Open Water/Unkno	own Bottom (used on older maps)
E=ESTUARINE			
		- AB=Aquatic Bed	1=Algal 3=Rooted Vascular 4=Floating Vascular 5=Unknown Submergent 6=Unknown Surface
		- RF=Reef	2=Mollusc 3=Worm
		- SB=Streambed	3=Cobble-Gravel 4=Sand 5=Mud 6=Organic
		- RS=Rocky Shore	1=Bedrock 2=Rubble
	2=INTERTIDAL	- US=Unconsolidated :	Shore 1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
		- EM=Emergent	1=Persistent 2=Nonpersistent
		- SS=Scrub-Shrub	1=Broad-Leaved Deciduous 2=Needle-Leaved Deciduous

- FO=Forested

- 3=Broad-Leaved Evergreen 4=Needle-Leaved Evergreen
- 5=Dead
- 6=Indeterminate
 Deciduous
- 7=Indeterminate Evergreen
- 1=Broad-Leaved Deciduous
- 2=Needle-Leaved Deciduous
- 3=Broad-Leaved Evergreen
- 4=Needle-Leaved Evergreen
- 5=Dead
- 6=Indeterminate
 Deciduous
- 7=Indeterminate Evergreen

		- RB=Rock Bottom	1=Bedrock
			2=Rubble
	1=TIDAL	 - UB=Unconsolidated Bottom 	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
	 2=LOWER PERENNIAL	-*SB=Streambed 	1=Bedrock 2=Rubble 3=Cobble-Gravel 4=Sand 5=Mud 6=Organic 7=Vegetated
R=RIVERINE	 3=UPPER PERENNIAL 	- AB=Aquatic Bed - B=Aquatic Bed 	1=Algal 2=Aquatic Moss 3=Rooted Vascular 4=Floating Vascular 5=Unknown Submergent
	4=INTERMITTENT-		6=Unknown Surface
		 - RS=Rocky Shore 	1=Bedrock 2=Rubble
	 5=UNKNOWN PERENNIAL (used on older maps)	 - US=Unconsolidated Shore 	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic 5=Vegetated
		 -**EM=Emergent	2=Nonpersistent
		 - OW=Open Water/Unknown Bot	
SUBSYSTEM.		 -*STREAMBED is limited to T INTERMITTENT SUBSYSTEMS, a: the only CLASS in the INTE	nd comprises
		 **EMEDCENT is limited to T	IDAL and LOWED
		-**EMERGENT is limited to T PERENNIAL SUBSYSTEMS.	IDAL and LOWER

SYSTEM	SUBSYSTEM	CLASS	SUBCLASS


		-	RB=Rock Bot	tom	1=Bedrock
					2=Rubble
		-	UB=Unconsol	idated Bottom	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
	1=LIMNETIC 		AB=Aquatic	Bed	1=Algal 2=Aquatic Moss 3=Rooted Vascular 4=Floating Vascular 5=Unknown Submergent 6=Unknown Surface
		-	OW=Open Wat	er/Unknown Bot	tom (used on older
L=LACUSTRINE					maps)
		-	RB=Rock Bot	tom	1=Bedrock 2=Rubble
		-	UB=Unconsol	idated Bottom	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
	 2=LITTORAL		AB=Aquatic	Bed	1=Algal 2=Aquatic Moss 3=Rooted Vascular 4=Floating Vascular 5=Unknown Submergent 6=Unknown Surface
		 - 	RS=Rocky Sh	ore	1=Bedrock 2=Rubble
			US=Unconsol	idated Shore	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic 5=Vegetated
		-	EM=Emergent		2=Nonpersistent
		-	OW=Open Wat	er/Unknown Bot	tom (used on older maps)

SYSTEM	SUBSYSTEM	CLASS	SUBCLASS
		- RB=Rock Bottom	1=Bedrock 2=Rubble
		- UB=Unconsolidated Bottom	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic
		- AB=Aquatic Bed	1=Algal 2=Aquatic Moss 3=Rooted Vascular 4=Floating Vascular 5=Unknown Submergent 6=Unknown Surface
		- US=Unconsolidated Shore	1=Cobble-Gravel 2=Sand 3=Mud 4=Organic 5=Vegetated
	- -	- ML=Moss-Lichen	1=Moss 2=Lichen
P=PALUSTRINE	·	- EM=Emergent	1=Persistent 2=Nonpersistent
		- SS=Scrub-Shrub	1=Broad-Leaved Deciduous 2=Needle-Leaved Deciduous 3=Broad-Leaved Evergreen 4=Needle-Leaved Evergreen 5=Dead 6=Indeterminate Deciduous 7=Indeterminate Evergreen
		- FO=Forested	1=Broad-Leaved Deciduous 2=Needle-Leaved Deciduous 3=Broad-Leaved Evergreen 4=Needle-Leaved Evergreen 5=Dead 6=Indeterminate Deciduous 7=Indeterminate

Evergreen

- OW=Open Water/Unknown Bottom (used on older maps)

MODIFIERS



```
|- 1=Hyperhaline
                          |- 2=Euhaline
            |--Coastal
                         - 3=Mixohaline (Brackish)
             |- 5=Mesohaline
|- 6=Oligohaline
                          - 0=Fresh
WATER CHEMISTRY-
            |--pH Modifiers |- a=Acid
for all |- t=Circumneutral
              Fresh Water---- | - i=Alkaline
SOIL-----|- g=Organic
                       - n=Mineral
                          - b=Beaver
                         - d=Partially Drained/Ditched
- h=Diked/Impounded
                          |- r=Artificial Substrate
                          - s=Spoil
                          - x=Excavated
```

U = Uplands